



*The Right Technology.  
Right Away.™*

# **856 Ship Notice/Manifest**

**X12/V4010/856 : 856 Ship Notice/Manifest**

**Status: Final**

**Publication: 6/16/2016**

# Table of Contents

<b>856 Ship Notice/Manifest</b>	<b>1</b>
<b>ST Transaction Set Header</b>	<b>3</b>
<b>BSN Beginning Segment for Ship Notice</b>	<b>4</b>
<b>DTM Date/Time Reference</b>	<b>5</b>
<b>HL Loop Hierarchical Level</b>	<b>6</b>
<b>HL Hierarchical Level</b>	<b>7</b>
<b>TD1 Carrier Details (Quantity and Weight)</b>	<b>8</b>
<b>TD5 Carrier Details (Routing Sequence/Transit Time)</b>	<b>9</b>
<b>REF Reference Identification</b>	<b>11</b>
<b>FOB F.O.B. Related Instructions</b>	<b>12</b>
<b>N1 Loop Name</b>	<b>13</b>
<b>N1 Name</b>	<b>14</b>
<b>N2 Additional Name Information</b>	<b>15</b>
<b>N3 Address Information</b>	<b>16</b>
<b>N4 Geographic Location</b>	<b>17</b>
<b>HL Loop Hierarchical Level</b>	<b>18</b>
<b>HL Hierarchical Level</b>	<b>19</b>
<b>PRF Purchase Order Reference</b>	<b>20</b>
<b>HL Loop Hierarchical Level</b>	<b>21</b>
<b>HL Hierarchical Level</b>	<b>22</b>
<b>LIN Item Identification</b>	<b>23</b>
<b>SN1 Item Detail (Shipment)</b>	<b>25</b>
<b>REF Reference Identification</b>	<b>26</b>
<b>MAN Marks and Numbers</b>	<b>27</b>
<b>YNQ Yes/No Question</b>	<b>28</b>
<b>CTT Transaction Totals</b>	<b>29</b>
<b>SE Transaction Set Trailer</b>	<b>30</b>

# 856 Ship Notice/Manifest

## Functional Group=SH

**Purpose:** This Draft Standard for Trial Use contains the format and establishes the data contents of the Ship Notice/Manifest Transaction Set (856) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to list the contents of a shipment of goods as well as additional information relating to the shipment, such as order information, product description, physical characteristics, type of packaging, marking, carrier information, and configuration of goods within the transportation equipment. The transaction set enables the sender to describe the contents and configuration of a shipment in various levels of detail and provides an ordered flexibility to convey information. The sender of this transaction is the organization responsible for detailing and communicating the contents of a shipment, or shipments, to one or more receivers of the transaction set. The receiver of this transaction set can be any organization having an interest in the contents of a shipment or information about the contents of a shipment.

### Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	BSN	Beginning Segment for Ship Notice	M	1			Must use
040	DTM	Date/Time Reference	O	10			Must use

### Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
<b>LOOP ID - HL</b>					<b>200000</b>	<b>C2/010L</b>	
010	HL	Hierarchical Level	M	1		C2/010	Must use
110	TD1	Carrier Details (Quantity and Weight)	O	20			Must use
120	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12			Must use
150	REF	Reference Identification	O	>1			Must use
210	FOB	F.O.B. Related Instructions	O	1			Must use
<b>LOOP ID - N1</b>					<b>200</b>		
220	N1	Name	O	1			Must use
230	N2	Additional Name Information	O	2			Used
240	N3	Address Information	O	2			Must use
250	N4	Geographic Location	O	1			Must use
<b>LOOP ID - HL</b>					<b>200000</b>	<b>C2/010L</b>	
010	HL	Hierarchical Level	M	1		C2/010	Must use
050	PRF	Purchase Order Reference	O	1			Must use
<b>LOOP ID - HL</b>					<b>200000</b>	<b>C2/010L</b>	
010	HL	Hierarchical Level	M	1		C2/010	Must use
020	LIN	Item Identification	O	1			Must use
030	SN1	Item Detail (Shipment)	O	1			Must use
150	REF	Reference Identification	O	>1			Must use
190	MAN	Marks and Numbers	O	>1			Optional
335	YNQ	Yes/No Question	O	10			Must use

### Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	CTT	Transaction Totals	O	1		N3/010	Used
020	SE	Transaction Set Trailer	M	1			Must use

# ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the start of a transaction set and to assign a control number

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use

**Description:** Code uniquely identifying a Transaction Set

### Code Name

856 Ship Notice/Manifest

ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
------	-----	--------------------------------	---	----	-----	----------

**Description:** Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

# BSN Beginning Segment for Ship Notice

<b>Pos: 020</b>	<b>Max: 1</b>
<b>Heading - Mandatory</b>	
<b>Loop: N/A</b>	<b>Elements: 4</b>

**User Option (Usage):** Must use

**Purpose:** To transmit identifying numbers, dates, and other basic data relating to the transaction set

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BSN01	353	<b>Transaction Set Purpose Code</b>	M	ID	2/2	Must use
		<b>Description:</b> Code identifying purpose of transaction set				
		<u>Code</u> <u>Name</u>				
		00 Original				
BSN02	396	<b>Shipment Identification</b>	M	AN	2/30	Must use
		<b>Description:</b> A unique control number assigned by the original shipper to identify a specific shipment				
		<b>User Note 1:</b> <i>Should be unique for every transaction. Cannot be re-used.</i>				
BSN03	373	<b>Date</b>	M	DT	8/8	Must use
		<b>Description:</b> Date expressed as CCYYMMDD				
BSN04	337	<b>Time</b>	M	TM	4/8	Must use
		<b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)				

# DTM Date/Time Reference

Pos: 040	Max: 10
Heading - Optional	
Loop: N/A	Elements: 4

**User Option (Usage):** Must use

**Purpose:** To specify pertinent dates and times

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>						
DTM01	374	Date/Time Qualifier	M	ID	3/3	Must use						
<b>Description:</b> Code specifying type of date or time, or both date and time												
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>011</td><td>Shipped</td></tr><tr><td>017</td><td>Estimated Delivery</td></tr></table>							<u>Code</u>	<u>Name</u>	011	Shipped	017	Estimated Delivery
<u>Code</u>	<u>Name</u>											
011	Shipped											
017	Estimated Delivery											
DTM02	373	Date	X	DT	8/8	Must use						
<b>Description:</b> Date expressed as CCYYMMDD												
DTM03	337	Time	X	TM	4/8	Used						
<b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)												
DTM04	623	Time Code	O	ID	2/2	Optional						
<b>Description:</b> Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow												
<b>User Note 1:</b> All valid standard codes accepted												

## USAGE:

*SHIPPED date is mandatory*

# Loop Hierarchical Level

<b>Pos: 010</b>	<b>Repeat:</b> <b>200000</b>
<b>Mandatory</b>	
<b>Loop: HL</b>	<b>Elements: N/A</b>

**User Option (Usage):** Must use

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	HL	Hierarchical Level	M	1		Must use
110	TD1	Carrier Details (Quantity and Weight)	O	20		Must use
120	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12		Must use
150	REF	Reference Identification	O	>1		Must use
210	FOB	F.O.B. Related Instructions	O	1		Must use
220		Loop N1	O		200	Must use

## USAGE:

*SHIPMENT Level*



# HL Hierarchical Level

Pos: 010	Max: 1
Detail - Mandatory	
Loop: HL	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	<b>Hierarchical ID Number</b>	M	AN	1/12	Must use

**Description:** A unique number assigned by the sender to identify a particular data segment in a hierarchical structure

HL03	735	<b>Hierarchical Level Code</b>	M	ID	1/2	Must use
------	-----	--------------------------------	---	----	-----	----------

**Description:** Code defining the characteristic of a level in a hierarchical structure

Code Name

S	Shipment
---	----------

# TD1 Carrier Details (Quantity and Weight)

Pos: 110	Max: 20
Detail - Optional	
Loop: HL	Elements: 5

**User Option (Usage):** Must use

**Purpose:** To specify the transportation details relative to commodity, weight, and quantity

## Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
TD101	103	Packaging Code	O	AN	3/5	Must use

**Description:** Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material; if the Data Element is used, then Part 1 is always required

### Code Name

BOX	Box
CAS	Case
PLT	Pallet

TD102	80	Lading Quantity	X	N0	1/7	Must use
-------	----	-----------------	---	----	-----	----------

**Description:** Number of units (pieces) of the lading commodity

TD106	187	Weight Qualifier	O	ID	1/2	Used
-------	-----	------------------	---	----	-----	------

**Description:** Code defining the type of weight

### Code Name

G	Gross Weight
---	--------------

TD107	81	Weight	X	R	1/10	Used
-------	----	--------	---	---	------	------

**Description:** Numeric value of weight

TD108	355	Unit or Basis for Measurement Code	X	ID	2/2	Used
-------	-----	------------------------------------	---	----	-----	------

**Description:** Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

### Code Name

LB	Pound
----	-------

# TD5 Carrier Details (Routing Sequence/Transit Time)

Pos: 120	Max: 12
Detail - Optional	
Loop: HL	Elements: 6

**User Option (Usage):** Must use

**Purpose:** To specify the carrier and sequence of routing and provide transit time information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TD501	133	<b>Routing Sequence Code</b>	O	ID	1/2	Used
		<b>Description:</b> Code describing the relationship of a carrier to a specific shipment movement				
		<b>Code Name</b>				
		B	Origin/Delivery Carrier (Any Mode)			
TD502	66	<b>Identification Code Qualifier</b>	X	ID	1/2	Must use
		<b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)				
		<b>Code Name</b>				
		2	Standard Carrier Alpha Code (SCAC)			
TD503	67	<b>Identification Code</b>	X	AN	2/80	Must use
		<b>Description:</b> Code identifying a party or other code				
TD504	91	<b>Transportation Method/Type Code</b>	X	ID	1/2	Used
		<b>Description:</b> Code specifying the method or type of transportation for the shipment				
		<b>Code Name</b>				
		E	Expedited Truck			
		M	Motor (Common Carrier)			
		O	Containerized Ocean			
		R	Rail			
		U	Private Parcel Service			
		AE	Air Express			
		DT	Electronic (Delivery Notification Only)			
		LT	Less Than Trailer Load (LTL)			
		PB	Priority Mail (eg. Federal APO Locations)			
		SR	Supplier (Dedicated) Truck			
TD505	387	<b>Routing</b>	X	AN	1/35	Used
		<b>Description:</b> Free-form description of the routing or requested routing for shipment, or the originating carrier's identity				
TD512	284	<b>Service Level Code</b>	X	ID	2/2	Used
		<b>Description:</b> Code indicating the level of transportation service or the billing service offered by the transportation carrier				
		<b>Code Name</b>				
		3D	Three Day Service			

**Code Name**

AE Air Economy

CG Ground

DT Electronic (Delivery Notification Only)

ES Expedited Service

ND Next Day Air

**Description:** *Delivery during business day hours of next business day*

PN Next Day by Noon

PR Next Day by 5:00 P.M.

PS Second Day by Noon

# REF Reference Identification

Pos: 150	Max: >1
Detail - Optional	
Loop: HL	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To specify identifying information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

**Description:** Code qualifying the Reference Identification

**User Note 1:** *Either one of Bill of Lading Number or Freight Bill Number is required*

### Code Name

BM Bill of Lading Number

CN Carrier's Reference Number (PRO/Invoice)

FR Freight Bill Number

REF02	127	Reference Identification	X	AN	1/30	Used
-------	-----	--------------------------	---	----	------	------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

**User Note 1:** *Use "ELECTRONIC" as Bill of Lading number value for Electronic Delivery (License/Warranty/Renewals)*

# FOB F.O.B. Related Instructions

Pos: 210	Max: 1
Detail - Optional	
Loop: HL	Elements: 1

**User Option (Usage):** Must use

**Purpose:** To specify transportation instructions relating to shipment

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
FOB01	146	Shipment Method of Payment	M	ID	2/2	Must use

**Description:** Code identifying payment terms for transportation charges

### Code Name

BP Paid by Buyer

**Description:** The buyer agrees to the transportation payment term requiring the buyer to pay transportation charges to a specified location (origin or destination location)

CA Advance Collect

CC Collect

MX Mixed

PA Advance Prepaid

PC Prepaid but Charged to Customer

PP Prepaid (by Seller)

PS Paid by Seller

**Description:** The seller agrees to the transportation payment term requiring the seller to pay transportation charges to a specified location (origin or destination location)

TP Third Party Pay

# Loop Name

Pos: 220	Repeat: 200
Optional	
Loop: N1	Elements: N/A

**User Option (Usage):** Must use

**Purpose:** To identify a party by type of organization, name, and code

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
220	N1	Name	O	1		Must use
230	N2	Additional Name Information	O	2		Used
240	N3	Address Information	O	2		Must use
250	N4	Geographic Location	O	1		Must use

## USAGE:

*Ship From and Ship To Address Information is mandatory and needs to be provided for all shipments.*

# N1 Name

<b>Pos: 220</b>	<b>Max: 1</b>
<b>Detail - Optional</b>	
<b>Loop: N1</b>	<b>Elements: 4</b>

**User Option (Usage):** Must use

**Purpose:** To identify a party by type of organization, name, and code

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	<b>Entity Identifier Code</b>	M	ID	2/3	Must use
		<b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual				
		<u>Code</u> <u>Name</u>				
		SF Ship From				
		ST Ship To				
N102	93	<b>Name</b>	X	AN	1/60	Must use
		<b>Description:</b> Free-form name				
N103	66	<b>Identification Code Qualifier</b>	X	ID	1/2	Optional
		<b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)				
		<u>Code</u> <u>Name</u>				
		1 D-U-N-S Number, Dun & Bradstreet				
		12 Telephone Number (Phone)				
		91 Assigned by Seller or Seller's Agent				
		92 Assigned by Buyer or Buyer's Agent				
N104	67	<b>Identification Code</b>	O	AN	2/80	Optional
		<b>Description:</b> Code identifying a party or other code				



# N2 Additional Name Information

Pos: 230	Max: 2
Detail - Optional	
Loop: N1	Elements: 2

**User Option (Usage):** Used

**Purpose:** To specify additional names or those longer than 35 characters in length

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N201	93	<b>Name</b>	M	AN	1/60	Must use
		<b>Description:</b> Free-form name				
N202	93	<b>Name</b>	O	AN	1/60	Used
		<b>Description:</b> Free-form name				

# N3 Address Information

Pos: 240	Max: 2
Detail - Optional	
Loop: N1	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To specify the location of the named party

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Must use
		Description: Address information				
N302	166	Address Information	O	AN	1/55	Used
		Description: Address information				

# N4 Geographic Location

<b>Pos: 250</b>	<b>Max: 1</b>
<b>Detail - Optional</b>	
<b>Loop: N1</b>	<b>Elements: 4</b>

**User Option (Usage):** Must use

**Purpose:** To specify the geographic place of the named party

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	<b>City Name</b>	O	AN	2/30	Must use
		<b>Description:</b> Free-form text for city name				
N402	156	<b>State or Province Code</b>	O	ID	2/2	Must use
		<b>Description:</b> Code (Standard State/Province) as defined by appropriate government agency				
N403	116	<b>Postal Code</b>	O	ID	3/15	Must use
		<b>Description:</b> Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				
N404	26	<b>Country Code</b>	O	ID	2/3	Must use
		<b>Description:</b> Code identifying the country				

# Loop Hierarchical Level

Pos: 010	Repeat: 200000
Mandatory	
Loop: HL	Elements: N/A

**User Option (Usage):** Must use

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	HL	Hierarchical Level	M	1		Must use
050	PRF	Purchase Order Reference	O	1		Must use

## USAGE:

*ORDER Level*

# HL Hierarchical Level

<b>Pos: 010</b>	<b>Max: 1</b>
<b>Detail - Mandatory</b>	
<b>Loop: HL</b>	<b>Elements: 3</b>

**User Option (Usage):** Must use

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	<b>Hierarchical ID Number</b>	M	AN	1/12	Must use
		<b>Description:</b> A unique number assigned by the sender to identify a particular data segment in a hierarchical structure				
HL02	734	<b>Hierarchical Parent ID Number</b>	O	AN	1/12	Used
		<b>Description:</b> Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to				
HL03	735	<b>Hierarchical Level Code</b>	M	ID	1/2	Must use
		<b>Description:</b> Code defining the characteristic of a level in a hierarchical structure				
		<u>Code</u>	<u>Name</u>			
		O	Order			

# PRF Purchase Order Reference

Pos: 050	Max: 1
Detail - Optional	
Loop: HL	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To provide reference to a specific purchase order

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PRF01	324	<b>Purchase Order Number</b>	M	AN	1/22	Must use
<b>Description:</b> Identifying number for Purchase Order assigned by the orderer/purchaser						
PRF04	373	<b>Date</b>	O	DT	8/8	Used
<b>Description:</b> Date expressed as CCYYMMDD						

# Loop Hierarchical Level

Pos: 010	Repeat: 200000
Mandatory	
Loop: HL	Elements: N/A

**User Option (Usage):** Must use

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	HL	Hierarchical Level	M	1		Must use
020	LIN	Item Identification	O	1		Must use
030	SN1	Item Detail (Shipment)	O	1		Must use
150	REF	Reference Identification	O	>1		Must use
190	MAN	Marks and Numbers	O	>1		Optional
335	YNQ	Yes/No Question	O	10		Must use

## USAGE:

*ITEM Level*

# HL Hierarchical Level

<b>Pos: 010</b>	<b>Max: 1</b>
<b>Detail - Mandatory</b>	
<b>Loop: HL</b>	<b>Elements: 3</b>

**User Option (Usage):** Must use

**Purpose:** To identify dependencies among and the content of hierarchically related groups of data segments

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	<b>Hierarchical ID Number</b>	M	AN	1/12	Must use
		<b>Description:</b> A unique number assigned by the sender to identify a particular data segment in a hierarchical structure				
HL02	734	<b>Hierarchical Parent ID Number</b>	O	AN	1/12	Used
		<b>Description:</b> Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to				
HL03	735	<b>Hierarchical Level Code</b>	M	ID	1/2	Must use
		<b>Description:</b> Code defining the characteristic of a level in a hierarchical structure				
		<u>Code</u>	<u>Name</u>			
		I	Item			



# LIN Item Identification

<b>Pos: 020</b>	<b>Max: 1</b>
<b>Detail - Optional</b>	
<b>Loop: HL</b>	<b>Elements: 9</b>

**User Option (Usage):** Must use

**Purpose:** To specify basic item identification data

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LIN01	350	<b>Assigned Identification</b>	O	AN	1/20	Used
<b>Description:</b> Alphanumeric characters assigned for differentiation within a transaction set						
<b>User Note 1:</b> <i>Should match PO Line number provided by CDW on the 850</i>						
LIN02	235	<b>Product/Service ID Qualifier</b>	M	ID	2/2	Must use
<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)						
<b>Code Name</b>						
BP Buyer's Part Number						
LIN03	234	<b>Product/Service ID</b>	M	AN	1/48	Must use
<b>Description:</b> Identifying number for a product or service						
LIN04	235	<b>Product/Service ID Qualifier</b>	X	ID	2/2	Must use
<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)						
<b>Code Name</b>						
MG Manufacturer's Part Number						
LIN05	234	<b>Product/Service ID</b>	X	AN	1/48	Must use
<b>Description:</b> Identifying number for a product or service						
LIN06	235	<b>Product/Service ID Qualifier</b>	X	ID	2/2	Used
<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)						
<b>Code Name</b>						
VP Vendor's (Seller's) Part Number						
LIN07	234	<b>Product/Service ID</b>	X	AN	1/48	Used
<b>Description:</b> Identifying number for a product or service						
LIN08	235	<b>Product/Service ID Qualifier</b>	X	ID	2/2	Used
<b>Description:</b> Code identifying the type/source of the descriptive number used in Product/Service ID (234)						
<b>Code Name</b>						
UP U.P.C. Consumer Package Code (1-5-5-1)						
LIN09	234	<b>Product/Service ID</b>	X	AN	1/48	Used
<b>Description:</b> Identifying number for a product or service						

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
------------	-----------	---------------------	------------	-------------	----------------	--------------

# SN1 Item Detail (Shipment)

Pos: 030	Max: 1
Detail - Optional	
Loop: HL	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To specify line-item detail relative to shipment

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SN102	382	<b>Number of Units Shipped</b>	M	R	1/10	Must use

**Description:** Numeric value of units shipped in manufacturer's shipping units for a line item or transaction set

SN103	355	<b>Unit or Basis for Measurement Code</b>	M	ID	2/2	Must use
-------	-----	---	---	----	-----	----------

**Description:** Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

Code Name

EA	Each
----	------

# REF Reference Identification

Pos: 150	Max: >1
Detail - Optional	
Loop: HL	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To specify identifying information

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

**Description:** Code qualifying the Reference Identification

### Code Name

2I	Tracking Number
SE	Serial Number
ZZ1	Pallet Count per Item
ZZ2	Box Count per item (Supplier Over-Box)
ZZ3	Case Count per Item (Manufacturer Master Pack)

REF02	127	Reference Identification	X	AN	1/30	Used
-------	-----	--------------------------	---	----	------	------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

**User Note 1:** Use "ELECTRONIC" as tracking number value for Electronic Delivery (License/Warranty/Renewals)

## USAGE:

Tracking Number is required for all lines. For non-parcel shipments, provide a shipment identification number for each line as the tracking number.

# MAN Marks and Numbers

Pos: 190	Max: >1
Detail - Optional	
Loop: HL	Elements: 2

**User Option (Usage):** Optional

**Purpose:** To indicate identifying marks and numbers for shipping containers

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MAN01	88	Marks and Numbers Qualifier	M	ID	1/2	Must use

**Description:** Code specifying the application or source of Marks and Numbers (87)

### Code Name

W Pallet Number (Pallet "License Plate")

MAN02	87	Marks and Numbers	M	AN	1/48	Must use
-------	----	-------------------	---	----	------	----------

**Description:** Marks and numbers used to identify a shipment or parts of a shipment

# YNQ Yes/No Question

<b>Pos: 335</b>	<b>Max: 10</b>
<b>Detail - Optional</b>	
<b>Loop: HL</b>	<b>Elements: 3</b>

**User Option (Usage):** Must use

**Purpose:** To identify and answer yes and no questions, including the date, time, and comments further qualifying the condition

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>						
YNQ01	1321	<b>Condition Indicator</b>	X	ID	2/2	Must use						
<b>Description:</b> Code indicating a condition												
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>EF</td><td>Has Extended Coverage Insurance</td></tr></table>							<u>Code</u>	<u>Name</u>	EF	Has Extended Coverage Insurance		
<u>Code</u>	<u>Name</u>											
EF	Has Extended Coverage Insurance											
YNQ02	1073	<b>Yes/No Condition or Response Code</b>	M	ID	1/1	Must use						
<b>Description:</b> Code indicating a Yes or No condition or response												
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>N</td><td>No</td></tr><tr><td>Y</td><td>Yes</td></tr></table>							<u>Code</u>	<u>Name</u>	N	No	Y	Yes
<u>Code</u>	<u>Name</u>											
N	No											
Y	Yes											
YNQ05	933	<b>Free-Form Message Text</b>	O	AN	1/264	Optional						
<b>Description:</b> Free-form message text												

# CTT Transaction Totals

Pos: 010	Max: 1
Summary - Optional	
Loop: N/A	Elements: 1

**User Option (Usage):** Used

**Purpose:** To transmit a hash total for a specific element in the transaction set

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTT01	354	Number of Line Items	M	N0	1/6	Must use

**Description:** Total number of line items in the transaction set

# SE Transaction Set Trailer

Pos: 020	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments	M	N0	1/10	Must use
<b>Description:</b> Total number of segments included in a transaction set including ST and SE segments						
SE02	329	Transaction Set Control Number	M	AN	4/9	Must use
<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set						